prima

appliance collection

engineered
to perform



prima

engineered to perform

All Prima products have been specially engineered to high standards to offer you outstanding performance with excellent energy ratings.

By using energy-efficient appliances, you can save money on running costs as well as helping the environment by conserving use of electricity, gas and water.

Today's kitchen has to be stylish as well as functional, which is why the Prima Collection sits so well at the heart of one of the most important rooms in the home.

Innovative technology gives an added edge to the reliability of this contemporary range. So whether cooking, washing, cooling or freezing, Prima is the name guaranteed to perform.

QUALITY ASSURED

ENERGY SAVING PRIMA

BSI UKAS

prima 2 yr guarantee

contents

Cooking
Ovens & Microwaves 04-09
Hobs 10-15
Hoods 16-25

Cooling
Wine Coolers 26-27
Refrigeration 28-33

Washing
Dishwashers 34-35
Laundry 36-38

2 year parts & labour guarantee

All Prima products have been specially engineered to high standards, to offer you outstanding performance with excellent energy ratings. As part of the ongoing commitment to the Prima customer, **Prima appliances come with a 2 year FREE Parts and Labour Guarantee.**
Subject to registration.

prima 2yr guarantee

Energy-efficient engineering

'Quality Machine to Keep Britain Clean'
In order to conserve the amount of energy consumers use, the Government have introduced new laws stating that a label must be shown on all electric oven, dishwasher, refrigeration and laundry appliances. This depicts efficiency ratings, based on European standards, which range from 'A', denoting the most efficient or least energy used, down to 'G', which denotes the least efficient or most energy used.

ENERGY SAVING PRIMA



Many Prima appliances are now A energy rated as stated


LIA1714
60cm curved glass chimney hood
page 18
LPR471
mini built-in microwave
page 08
LPR955
60cm ceramic hob
page 12
LPR356
integrated 50/50 fridge freezer
page 31
LPR661
60cm integrated dishwasher
page 35
LPR730
fully integrated washing machine
page 37
LPR9026
single fan oven
page 05
LCT300
30cm wine cooler
page 27

form & function engineered to perform

function key

ovens

conventional cooking
Combines top & bottom heating.

cooling fan/radial fan

sola grill
Fixed rate for a single oven or variable grill for a double.

gyroflo gas
Conventional cooking hotter at the top part of the oven.

capacity
Oven capacity (litres).

circa fan cooking
A fan behind the back wall of the oven forces air through heating elements, food is cooked quicker and evenly in all parts of the oven.

electronic programmer/display
Electronic clock with digital timer.

minute minder
Mechanical timer.

grills
Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.

slow cook facility

defrost function
Oven fan assists defrost by circulating air around food.

flame failure device

microwaves

jet defrost
Defrosts 7 times faster than a conventional microwave oven with even microwave distribution that works directly on the water molecules inside the food.

grill function
Ovens come with a number of different grill models, see individual product page for the type of grill fitted.

minute minder
Mechanical timer.

convection
Creates a uniform temperature with internal fans that circulate hot air. Heated air transfers heat more efficiently.

child lock
This locks the function, preventing the danger of children altering functions.

cooking modes/power settings
Low, medium and high settings.

express cooking

refrigeration

auto defrost (fridge only)
Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.

fast freeze
The fast freeze function rapidly lowers the temperature ensuring that fresh food is frozen quickly.

manual defrost
Manually defrost the freezer at regular intervals. Need to switch off the appliance and remove the food stored.

forced air ventilation
Interior ventilator fans which ensure even temperature distribution throughout.

CFC/HFC free
Refrigeration products are completely CFC (chlorofluorocarbons) and HFC (hydrofluorocarbons) free - gases that cause lasting damage to the earth's ozone layer.

frost free
This innovative system eliminates the formation of ice on food and the freezer interior.

star rating
Freezer compartments allow food to be stored below -18°C, so that it can be kept for longer.

LED Display

ovens & microwaves

make cooking a pleasure with our new red hot contemporary oven designs.

It could be argued that the oven is the most important appliance in the kitchen. Once you have decided the amount of space you have available, you then need to choose the appliance that best suits your cooking requirements. Whether you prefer single, double, built-in or built-under styles, Prima can offer a model to suit your needs.

prima 2 yr guarantee

Prima's three styles of built-in microwaves allow the greatest possible flexibility in arranging your kitchen. Choose either the twin microwave and grill, the mini built-in with its 22 litre capacity or the combination convection oven/microwave/grill. Simple and understated in stainless steel and glass, they fit seamlessly into any kitchen.

ovens single

single fan oven
minute minder
LPR9022 Stainless Steel

features
- single fan oven
- single fixed grill
- 55 litre
- radial cooling fan
- rapid heat up
- stay cool controls
- minute minder

energy rating A

single fan oven
minute minder
LPR9020 White

features
- single fan oven
- single fixed grill
- 55 litre
- radial cooling fan
- rapid heat up
- stay cool controls
- minute minder

energy rating A

single fan oven
electronic programmer
LPR9024 Stainless Steel

features
- single fan oven
- single variable grill
- 55 litre
- electronic display
- radial cooling fan
- electronic programmer
- defrost function

energy rating A

single fan oven
electronic programmer
LPR9026 Black

features
- single fan oven
- single variable grill
- 55 litre
- electronic display
- radial cooling fan
- electronic programmer
- defrost function

energy rating A



LPR9020/LPR9022/
LPR9024/LPR9026

ovens single/double

single fan oven

LPR9023 Stainless Steel

features
- single fan oven
- advanced temperature control
- 55 litre
- single variable grill
- electronic display
- radial cooling fan
- electronic programmer

energy rating A

single gas oven

LPR8021 Stainless Steel

features
- built-in or built-under gas oven
- single cavity oven & grill
- 51 litre
- flame failure device
- fixed rate grill
- digital clock
- minute minder
- oven light
- easy care oven finish

built-in twin cavity gas oven

minute minder
LPR8061 Stainless Steel

features
- built-in at high level
- gas oven & separate grill
- 29 litre top cavity houses a variable grill
- 51 litre gyroflo gas oven in lower cavity
- flame failure device
- digital clock
- minute minder
- easycare oven finish
- oven light

built-under twin cavity gas oven

minute minder
LPR8081 Stainless Steel

features
- built-under gas oven & separate grill
- 29 litre top cavity houses a variable grill
- 44 litre gyroflo gas oven in lower cavity
- flame failure device
- digital clock
- minute minder
- easycare oven finish
- oven light



ovens double

built-in double electric oven

LPR9028 Stainless Steel

features

upper cavity
- **static oven**
- **variable grill**
- **33 litre**

lower cavity
- **fan oven**
- **52 litre**
- **keep warm function**
- **programmer**
- **triple glazed oven door**
- **2 high speed cooling fans**

energy rating A

built-in double electric oven

LPR9030 Black

features

upper cavity
- **static oven**
- **variable grill**
- **33 litre**

lower cavity
- **fan oven**
- **52 litre**
- **keep warm function**
- **programmer**
- **triple glazed oven door**
- **2 high speed cooling fans**

energy rating A

built-under double electric oven

LPR9032 Stainless Steel

features

upper cavity
- **static oven**
- **variable grill**
- **32 litre**

lower cavity
- **advanced 'circa fan' cooking**
- **46 litre**
- **clock and full oven programmer**
- **triple glazed oven doors**
- **2 cooling fans**

energy rating A

built-under double electric oven

LPR9034 Black

features

upper cavity
- **static oven**
- **variable grill**
- **32 litre**

lower cavity
- **advanced 'circa fan' cooking**
- **46 litre**
- **clock and full oven programmer**
- **triple glazed oven doors**
- **2 cooling fans**

energy rating A

prima 2yr guarantee



LPR9028/LPR9030



LPR9032/LPR9034

microwaves

mini built-in microwave

minute minder

LPR471 Stainless Steel

features

- 750W
- fully integrated microwave
- wall cupboard fitting (min 300mm)
- 22 litre
- easy installation system
- 4 power levels
- jet defrost
- clock and minute minder
- child safety lock
- no kit required

4 POWER

microwave/grill

LCT113 Stainless Steel

features

- 800W
- grill function 1100W
- 20 litre
- 5 power settings
- 60 minute digital timer
- silver painted housing & grey painted cavity
- defrost
- child safety lock
- kit comes separately (LCT114) (Product unbranded)

1100W 5 POWER

prima 2 yr guarantee



LPR471



LCT113 - without building kit



LCT113 - with building kit

features at a glance ovens & microwaves

ovens

	SINGLE OVENS						BUILT-IN			BUILT-UNDER		
PRODUCT	LPR8021	LPR9020	LPR9022	LPR9023	LPR9024	LPR9026	LPR8061	LPR9028	LPR9030	LPR8081	LPR9032	LPR9034
white	-	●	-	-	-	-	-	-	-	-	-	-
stainless steel	●	-	●	●	●	-	●	●	-	●	●	-
black	-	-	-	-	-	●	-	-	●	-	-	●
conventional cooking	-	-	-	-	-	-	-	upper	upper	-	upper	upper
conventional gas cooking	●	-	-	-	-	-	●	-	-	●	-	-
fan cooking	-	●	●	●	●	●	-	main	main	-	main	main
single fixed grill	●	●	●	-	-	-	-	-	-	-	-	-
single variable grill	-	-	-	●	●	●	●	●	●	●	●	●
double glazed door	●	●	●	●	●	●	●	upper	upper	●	-	-
triple glazed door	-	-	-	-	-	-	-	main	main	-	●	●
electronic control	-	-	-	●	●	●	-	●	●	-	●	●
cooling fan	●	●	●	●	●	●	●	●	●	●	●	●
standard wire shelves	●	●	●	●	●	●	●	●	●	●	●	●
grill pan set	●	●	●	●	●	●	●	●	●	●	●	●
oven light	●	●	●	●	●	●	●	●	●	●	●	●
height (mm)	588	595	595	595	595	595	888	885	885	706	715	715
width (mm)	595	595	595	595	595	595	595	595	595	595	596	596
depth (mm)	550	564	564	564	564	564	550	560	560	550	550	550
energy class	-	A	A	A	A	A	-	A/A	A/A	-	A/A	A/A
voltage	220-240	230	230	230	230	230	220-240	230	230	220-240	240	240
connected load (w)	44	2300	2300	2300	2300	2300	44	4200	4200	44	4120	4120
frequency (hz)	50	50	50	50	50	50	50	50	50	50	50	50
fuse required (amps)	3	13	13	13	13	13	3	30	30	3	30	30

microwaves

PRODUCT	LCT113	LPR471
stainless steel	●	●
capacity litres	20	22
wattage	800	750
power levels	5	4
defrost system	●	●
24 hour clock	●	●
timer (w)	●	●
grill power (w)	1100	-
height (mm)	376	376
width (mm)	510	470
depth (mm)	382	282
voltage	230	230
connected load (w)	1400	1300
frequency (hz)	50	50
fuse required (amps)	13	13

prima 2 yr guarantee

All Prima appliances are covered by a free 2 year parts and labour guarantee. *Subject to product registration.*

gas, electric & ceramic hobs

Prima's superb range of hobs offers flexibility and performance.

Whether you prefer the control cooking that gas gives you, or the speed and safety features of induction, there's plenty of choice. With simple, stylish designs and easy-to-use controls you can even tailor-make your cooking solution by adding one of our domino hobs to your standard hob selection.

hobs gas

60cm standard gas hob

LPR965 Stainless Steel/
LPR961 White/LPR963 Black

features
- 4 gas burners
- easy clean top plate and control panel
- easy grip control knobs
- 2 piece burner with push button ignition
- electronic ignition
- flame failure device

Pan supports to suit LPR961, LPR963, LPR965

Cast Iron Pan Supports

Enhance the aesthetic appearance of the LPR965, LPR961, LPR963.
These strong cast iron pan supports add the finishing touch to your 60cm FFD gas hob.

5 burner gas hob with flame failure

LPR973 Stainless Steel



features
- 5 gas burners
- 1 large triple crown wok burner
- push and turn electronic ignition
- one piece easy clean top plate and control panel
- easy grip control knobs
- rigid pan supports
- flame failure device

5 burner gas hob with flame failure

LPR971 Stainless Steel

features
- 5 gas burners
- 1 large triple crown wok burner
- push and turn electronic ignition
- cast iron pan supports
- easy grip control knobs
- flame failure device

prima 2 yr guarantee



LPR961/LPR963/LPR965



LPR965



LPR973/LPR971

hobs electric & ceramic

60cm standard electric hob

LPR968 Stainless Steel

LPR966 White

features

- 4 hotplates
- 'family line' design
- easy clean top plate and control panel
- easy grip control knobs
- power on light

60cm ceramic hob

LPR955 Black



features

- frameless ceramic glass hob
- 4 x 'quick light' electric cook zones
- 'lift 'n' clean' side control knobs
- residual heat indicator

60cm ceramic hob touch control

LPR866 Black



features

- touch control operation
- 9 power settings
- 4 hi-light zones
- residual heat indicators
- child safety lock
- black glass frameless finish

prima 2yr guarantee



LPR966/LPR968



LPR955



LPR866

hobs ceramic

induction/touch control hob

LPR956 Black



features
- front touch controls
- 9 power settings
- residual heat indicator
- power on light
- timer
- frameless
- child safety lock

77cm ceramic hob

LPR877 Black



features
- touch controls
- 4 hi-light cooking zones
- residual heat indicator
- timer
- 9 power settings
- child safety lock
- stainless steel trim

30cm domino ceramic hob

LPR879 Black

features
- 2 hi-light cooking zones
- residual heat indicator
- easy grip control knobs
- stainless steel trim

30cm domino ceramic hob

LPR880 Black

features
- touch controls
- 9 power settings
- 2 hi-light cooking zones
- residual heat indicator
- child safety lock
- stainless steel trim

prima 2yr guarantee



LPR956



LPR877



LPR879/LPR880

features at a glance hobs

hobs	GAS					ELECTRIC		CERAMIC					
PRODUCT	LPR961	LPR965	LPR963	LPR973	LPR971	LPR966	LPR968	LPR866	LPR877	LPR879	LPR880	LPR955	LPR956
white	●	-	-	-	-	●	-	-	-	-	-	-	-
black	-	-	●	-	-	-	-	●	●	●	●	●	●
stainless steel	-	●	-	●	●	-	●	-	-	-	-	-	-
burners/rings	4	4	4	5	5	4	4	4	4	2	2	4	4
rapid	1	1	1	-	-	-	-	-	-	-	-	-	-
booster	-	-	-	-	-	-	-	-	-	-	-	-	-
semi rapid	2	2	2	-	-	-	-	-	-	-	-	-	-
small	1	1	1	-	-	-	-	-	-	-	-	-	-
frameless	-	-	-	-	-	-	-	-	-	-	-	-	●
stainless steel trim	-	-	-	-	-	-	-	-	●	●	●	●	-
easy grip control knobs	●	●	●	-	-	●	●	-	-	-	-	●	-
ignition button	●	●	●	-	-	-	-	-	-	-	-	-	-
push & turn integral ignition	-	-	-	●	●	-	-	-	-	-	-	-	-
flame failure	-	-	-	-	●	-	-	-	-	-	-	-	-
enamel pan supports (C = cast iron)	●	●	●	●	C	-	-	-	-	-	-	-	-
width (mm)	580	580	580	685	685	580	580	560	770	290	290	580	580
depth (mm)	500	500	500	510	510	510	510	510	510	510	510	510	570
voltage	230-240	230-240	230-240	230-240	230-240	230-240	230-240	220-240	220-240	220-240	220-240	230-240	220-240
connected load (w)	N/A	N/A	N/A	N/A	N/A	5800	5800	6400	6700	2900	3000	5800	7400
frequency (hz)	50	50	50	50	50	50	50	50	50	50	50	50	50
fuse required (amps)	3	3	3	3	3	30	30	30	30	13	30	30	30

prima 2 yr guarantee

All Prima appliances are covered by a free 2 year parts and labour guarantee. *Subject to product registration.*

cooker hoods

designed to be both practical and stylish.

The Prima range of hoods complements any kitchen, regardless of size and style. From the unique designer hoods to stylish chimney and island hoods, each is designed to co-ordinate with your Prima oven and hob. Prima hoods are supplied for external extraction with filters for recirculation operation available as an optional extra.

prima 2 yr guarantee

cooker hoods decorative/designer

90cm wow hood

LIA730 Stainless Steel/Glass

features
- extraction rate 750m³/h
- luminous soft touch buttons
- functions-timer, booster, clean air and filter saturation indicator
- grease filter
- 4 speeds
- command switch
- LIA732 stainless steel flue to suit (optional)
- LIA200 filter to suit (optional)
- air outlet required 150mm

90cm cubo hood

LIA1705 Stainless Steel/Glass

features
- extraction rate 750m³/h
- luminous soft touch buttons
- halogen bulbs (2 x 20w)
- 53dBA in operation
- 4 speeds
- aluminium filter
- booster and timer
- LIA205 filter to suit (optional)
- air outlet required 150mm

70cm isola cubo island hood

LIA1706 Stainless Steel

features
- extraction rate 750m³/h
- luminous soft touch buttons
- halogen bulbs (2 x 20w)
- 53dBA in operation
- 4 speeds
- aluminium filter
- booster and timer
- LIA204 filter to suit (optional)
- air outlet required 150mm

40cm cilindro hood

LIA1707 Stainless Steel

features
- extraction rate 750m³/h
- luminous soft touch buttons
- halogen bulbs (2 x 20w)
- 53dBA in operation
- 4 speeds
- aluminium filter
- booster and timer
- LIA205 filter to suit (optional)
- air outlet required 150mm

prima 2yr guarantee



LIA730



LIA1705



LIA1706



LIA1707

cooker hoods decorative/designer

40cm isola cilindro island hood

LIA1708 Stainless Steel

features
- extraction rate 750m³/h
- luminous soft touch buttons
- halogen bulbs (2 x 20w)
- 53dBA in operation
- 4 speeds
- aluminium filter
- booster & timer
- LIA203 filter to suit (optional)
- air outlet required 150mm

60cm curved glass chimney hood

LIA1714 Black/Glass

90cm image shown

features
- extraction rate 380m³/h
- push button control
- halogen bulbs (2 x 20w)
- 52dBA in operation
- 3 speeds
- aluminium filter
- LIA201 filter to suit (optional)
- air outlet required 150mm

90cm curved glass chimney hood

LIA1715 Black/Glass

features
- extraction rate 380m³/h
- push button control
- halogen bulbs (2 x 20w)
- 52dBA in operation
- 3 speeds
- aluminium filter
- LIA201 filter to suit (optional)
- air outlet required 150mm

60cm curved glass hood

LCT013 Stainless Steel

features
- extraction rate 851m³
- push button control
- 61dBA in operation
- 2 x energy-efficient lights
- 1 x aluminium grease filter
- 3 speed fan
- LXP007 filter to suit (optional)
- air outlet required 125mm



cooker hoods decorative/designer

70cm curved glass hood

LXP70 Stainless Steel

features
- extraction rate 851m³
- push button control
- 61dBA in operation
- 2 x energy - efficient lights
- 1 x aluminium grease filter
- 3 speed fan
- LXP007 filter to suit (optional)
- air outlet required 125mm

90cm curved glass hood

LCT105 Stainless Steel

features
- extraction rate 851m³
- push button control
- 61dBA in operation
- 2 x energy - efficient lights
- 1 x aluminium grease filter
- 3 speed fan
- LXP007 filter to suit (optional)
- air outlet required 125mm

90cm curved tango 2 hood

LIA559 Stainless Steel/Glass

features
- extraction rate 750m³
- touch control
- anodised aluminium filter
- halogen bulbs (2 x 20w)
- 50dBA in operation
- timer
- booster
- 4 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

90cm diamante hood

LIA176 Stainless Steel/Glass

features
- extraction rate 500m³
- touch control
- anodised aluminium filter
- halogen bulbs (2 x 20w)
- 56dBA in operation
- 4 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm



LXP70



LCT105



LIA559



LIA176

cooker hoods decorative/designer

60cm box hood

LIA206 Stainless Steel/Glass

features
- extraction rate 500m³/h
- push button control
- anodised aluminium filter
- halogen bulbs (2 x 20w)
- 56dBA in operation
- 3 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

90cm box hood

LIA209 Stainless Steel/Glass

features
- extraction rate 500m³/h
- push button control
- anodised aluminium filter
- halogen bulbs (2 x 20w)
- 56dBA in operation
- 3 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

90cm tango flat hood

LIA519 Stainless Steel/Glass

features
- extraction rate 750m³/h
- touch control
- anodised aluminum filter
- halogen bulbs (2 x 20w)
- 50dBA in operation
- timer
- booster
- 4 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

90cm rap hood

LIA629 Black/Stainless Steel

features
- extraction rate 750m³/h
- touch control
- anodised aluminium filter
- halogen bulbs (2 x 20w)
- 52dBA in operation
- timer
- booster
- 4 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

prima 2yr guarantee



LIA206



LIA209



LIA519



LIA629

cooker hoods decorative/chimney

90cm isola quadra island hood

LIA729 Stainless Steel/Glass



features
- extraction rate 750m³/h
- luminous soft touch control
- anodised aluminium filter
- halogen bulbs (4 x 20w)
- 52dBA in operation
- timer
- booster
- 4 speed fan
- LIA201 filter to suit (optional)
- air outlet required 150mm

60cm tonda hood

LIA172 60cm Stainless Steel

features
- extraction rate 450m³/h
- slider switch
- anodised aluminium filter
- traditional bulbs (2 x 40w)
- 56dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 150mm

90cm tonda hood

LIA174 90cm Stainless Steel

features
- extraction rate 450m³/h
- slider switch
- anodised aluminium filter
- traditional bulbs (2 x 40w)
- 56dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 150mm

60/70cm chimney hood

LCT015 60cm Stainless Steel
LCT016 70cm Stainless Steel

features
- extraction rate 400m³
- push button control
- 2 x 40w bulbs
- 1 x aluminium grease filter
- 55dBA in operation
- 3 speed fan
- LXP007 filter to suit (optional)
- air outlet required 120mm

prima 2yr guarantee



LIA729



LIA172



LIA174



LCT015/LCT016

cooker hoods chimney

90cm chimney hood

LCT017 Stainless Steel

features
- extraction rate 400m³
- push button control
- 2 x 40w bulbs
- 1 x aluminium grease filter
- 55dBA in operation
- 3 speed fan
- LXP007 filter to suit (optional)
- air outlet required 125mm

100cm range chimney hood

LIA168 Stainless Steel

features
- extraction rate 500m³
- push button control
- anodised aluminium filter
- traditional bulbs (2 x 40w)
- 56dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 150mm

90cm pulsar hood

LIA169 Stainless Steel
LIA1704 Black

features
- extraction rate 435m³
- push button control
- anodised aluminium filter
- traditional bulbs (2 x 40w)
- 55dBA in operation
- 3 speed fan
- LIA202 filter to suit (optional)
- air outlet required 120mm

60cm pulsar hood

LIA170 Stainless Steel
LIA1701 Black



features
- extraction rate 380m³
- push button control
- anodised aluminum filter
- traditional bulbs (2 x 40w)
- 55dBA in operation
- 3 speed fan
- LIA202 filter to suit (optional)
- air outlet required 120mm
- LIA199 grease filter panel

prima 2yr guarantee



LCT017



LIA168



LIA169/LIA1704



LIA170/LIA1701

cooker hoods chimney/integrated

70cm pulsar hood

LIA1702 Stainless Steel
LIA1703 Black

features
- extraction rate 380m³
- push button control
- anodised aluminum filter
- traditional bulbs (2 x 40w)
- 55dBA in operation
- 3 speed fan
- LIA202 filter to suit (optional)
- air outlet required 150mm

60cm standard hood

LIA100 Brown/LIA110 White/
LIA115 Stainless Steel

features
- extraction rate 280m³
- slider buttons
- acrylic filter
- traditional bulb (1 x 40w)
- 51dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 120mm

60cm integrated hood

LIA135 Neutral Grey

features
- extraction rate 250m³
- slider controls
- acrylic filter
- traditional bulb (1 x 40w)
- 53dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 120mm

60cm canopy hood

LIA151 Neutral Grey

features
- extraction rate 215m³
- slider controls
- acrylic filter
- traditional bulb (1 x 40w)
- 52dBA in operation
- 3 speed fan
- LIA200 filter to suit (optional)
- air outlet required 120mm

prima 2yr guarantee



LIA1702/LIA1703



LIA100/LIA110/LIA115



LIA135



LIA151

splashback

standard splashback

LCT001 60cm/LCT002 70cm/
LCT003 90cm/LCT004 100cm

features
- stainless steel
- mdf reinforced
- 750mm high
- 10mm depth

60cm can also be used
on curved glass hood LCT013

curved splashback

LCT005 70cm/LCT006 90cm

features
- stainless steel
- mdf reinforced
- 750mm high
- 10mm depth

filters

CODE	ITEM DESCRIPTION
LIA200	single carbon filter* matches: LIA100, LIA110, LIA115, LIA135, LIA151, LIA168, LIA172, LIA174, LIA730
LIA201	pack of 2 carbon filters* matches: LIA176, LIA206, LIA209, LIA519, LIA559, LIA629, LIA729, LIA1714, LIA1715
LIA202	pack of 2 carbon filters* matches: LIA169, LIA170, LIA1701, LIA1702, LIA1703, LIA1704
LIA203	pack of 2 carbon filters* matches: LIA1708
LIA204	pack of 2 carbon filters* matches: LIA1706
LIA205	pack of 2 carbon filters* matches: LIA1705, LIA1707
LXP007	pack of 2 carbon filters* matches: LCT013, LCT100, LCT101, LCT102, LCT105, LXP70

*When venting out, carbon filters will need to be purchased separately.



LCT001/LCT002/LCT003/LCT004



LCT005/LCT006

features at a glance cooker hoods

All Prima appliances are covered by a 2 year guarantee. *Subject to product registration.*

Hoods

	DESIGNER																
PRODUCT	LIA730	LIA1707	LIA1706	LIA1705	LIA1708	LIA1714	LIA1715	LCT013	LXP70	LCT105	LIA559	LIA176	LIA206	LIA209	LIA519	LIA629	LIA729
stainless steel	●	●	●	●	●	-	-	●	●	●	●	●	●	●	●	●	●
black	-	-	-	-	-	●	●	-	-	-	-	-	-	-	-	-	-
speeds	4	4	4	4	3	3	3	3	3	3	4	4	3	3	4	4	4
intensive	-	●	-	-	●	-	-	-	-	-	-	-	-	-	●	-	-
max extraction rate (M3/h)	750	750	750	750	750	380	380	851	851	851	750	500	500	500	750	750	750
lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
grease filter inc	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
carbon filter inc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
outlet diameter (mm)	150/120	150/120	150/120	150/120	150/120	150/120	150/120	125	125	125	150/120	150/120	150	150	120	150/120	150/120
width (mm)	900	400	700	600	400	600	900	600	700	900	900	900	600	900	900	900	900
depth (mm)	406	465	400	433	-	490	490	500	500	500	500	490	500	500	500	500	600
voltage	220-240	220-240	220/240	220/240	220-240	220/240	220-240	220-240	220-240	220-240	220-240	220/240	220-240	220-240	220-240	220-240	220/240
connected load (w)	290	290	330	290	290	190	190	284	284	284	290	270	270	270	290	290	330
frequency (hz)	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
fuse required (amps)	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Hoods

	DESIGNER		CHIMNEY										INTEGRATED				
PRODUCT	LIA172	LIA174	LCT015	LCT016	LCT017	LIA168	LIA169	LIA1704	LIA170	LIA1701	LIA1702	LIA1703	LIA100	LIA110	LIA115	LIA135	LIA151
brown	-	-	-	-	-	-	-	-	-	-	-	-	●	-	-	-	-
white	-	-	-	-	-	-	-	-	-	-	-	-	-	●	-	-	-
stainless steel	●	●	●	●	●	●	●	-	●	-	●	-	-	-	●	-	-
neutral grey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●
black	-	-	-	-	-	-	-	●	-	●	-	●	-	-	-	-	-
speeds	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
intensive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
max extraction rate (M3/h)	450	450	400	400	400	500	380	400	380	380	380	380	280	280	280	250	215
lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
grease filter inc	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
carbon filter inc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
outlet diameter (mm)	150/120	150/120	125	125	125	150/120	120	150/120	120	120	150	150	120	120	120	120	120
width (mm)	600	900	600	700	900	1000	900	900	600	600	700	700	600	600	600	600	525
depth (mm)	500	500	500	500	500	460	460	460	460	600	460	460	520	520	520	495	282
voltage	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
connected load (w)	310	310	220	220	220	310	230	230	230	230	230	230	150	150	150	170	170
frequency (hz)	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
fuse required (amps)	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

wine coolers

the perfect environment for your wine.

To mature properly a wine needs to be stored in the right position at a constant temperature. Prima wine coolers do all this: featuring natural looking stylish oak shelves and available in three sizes, your wine cooler protects your wine perfectly.

prima 2 yr guarantee

wine coolers

Drinking wine at the right temperature improves the flavour. So to truly enjoy them they need to be stored and served at different temperatures. Prima wine coolers allow you to store your bottles at the best serving temperatures.

Sparkling wines are best served between 6° - 9°C

Rosés and whites are best served between 7°- 14°C

Lighter reds are best served between 12° - 14°C

Full bodied reds are best served between 15° - 18°C

30cm wine cooler

LCT300 Stainless Steel/Glass

features

- **300mm wine cooler**
- **fridge capacity 58 litre**
- **18 bottles (75cl)**
- **blue LED display**
- **reversible door**
- **temperature range 5º-18ºC**
- **HFC free**
- **frost free**
  (unbranded)

15cm wine cellar

LCT150 Stainless Steel

features

- **150mm wine cooler**
- **7 bottle capacity**
- **interior light**
- **LED display**
- **40dBA noise level**
- **reversible door**
- **temperature range 8º-22ºC**
- **glass window**
- **slim design**
  (unbranded)



LCT300



LCT150

refrigeration

keep your cool with our new contemporary fridge and freezer designs.

We're constantly working to improve our range of built-in fridges and freezers, so there's something for everybody. It's the attention to detail that makes all the difference.

prima 2 yr guarantee

refrigeration

under counter larder fridge

LPR112 White

features
- fully integrated built-under larder fridge
- noise level 42dBA
- 2 adjustable glass shelves
- 3 door balconies/2 salad crispers
- CFC and HFC free
- reversible door

energy rating A

AUTO · CFC FREE · HFC FREE

under counter fridge with ice box

LPR163 White

features
- fully integrated built-under fridge with icebox
- auto defrost fridge
- manual defrost icebox
- 111 litre fridge capacity
- 18 litre freezer capacity
- 4 star ice box
- 2 adjustable shelves
- reversible door
- large door balcony

energy rating A

CFC FREE · HFC FREE · AUTO · RATING ****

under counter freezer

LPR162 White

features
- fully integrated under counter freezer
- 4 star rating
- auto defrost
- 108 litre freezer capacity
- noise level 42dBA
- 3 drawers
- baskets

energy rating A

HFC FREE · 24 HR · RATING **** · MANUAL



LPR112/LPR162



LPR163

refrigeration

fully integrated built-in column larder fridge

LPR164 White

features

- built-in column fridge
- 154 litre
- 3 adjustable shelves
- 3 door balconies
- 2 bottle flaps
- 2 salad crispers
- reversible door

energy rating A

HFC FREE · CFC FREE · AUTO

fully integrated built-in column freezer

LPR165 White

features

- built-in column freezer
- 108 litre
- 4 star rating
- 4 solid front drawers
- fast freeze
- reversible door

energy rating A

HFC FREE · CFC FREE · MANUAL · RATING

****

prima 2yr guarantee



LPR164



LPR165

refrigeration

integrated 50/50 fridge freezer

LPR356 White

features

- fully integrated
- 50/50 fridge freezer
- 158 litre fridge capacity
- 100 litre freezer capacity
- auto defrost fridge
- manual defrost freezer
- 4 safety glass shelves (including salad crisper cover)
- 4 freezer drawers
- 4 star rating

energy rating A

AUTO · CFC FREE · 24 hr · RATING

****

integrated 70/30 fridge freezer

LPR472 White

features

- fully integrated
- 70/30 fridge freezer
- 200 litre fridge capacity
- 60 litre freezer capacity
- auto defrost fridge
- manual defrost freezer
- 2 salad crispers
- 3 freezer drawers
- 4 safety glass shelves
- CFC free
- 4 star rating
- fast freeze

energy rating A

AUTO · CFC FREE · 24 hr · RATING

****

integrated 50/50 frost free fridge freezer

LPR475 White

features

- combi fridge freezer
- 158 litre fridge capacity
- 91 litre freezer capacity
- frost free
- 4 star freezer
- 3 shelves adjustable (fridge)
- 4 freezer drawers
- 45dBA noise level

energy rating A

FROST FREE · CFC FREE · RATING

****

prima 2 yr guarantee



LPR356/LPR472



LPR475

features at a glance refrigeration

fridges & freezers

	LARDER/FRIDGE			FREEZERS		FRIDGE FREEZER		
PRODUCT	LPR112*	LPR163*	LPR164*	LPR162*	LPR165*	LPR356	LPR472	LPR475
under counter fridge	●	-	-	-	-	-	-	-
under counter fridge with ice box	-	●	-	-	-	-	-	-
under counter freezer	-	-	-	-	-	-	-	-
fridge/freezer combination	-	-	-	-	●	●	●	●
in-column fridge	-	-	●	-	-	-	-	-
in-column freezer	-	-	-	●	-	-	-	-
energy-efficiency rating	A	A	A	A	A	A	A	A
fridge capacity (net) litres/ft3	146	111	154	-	-	155	200	158
freezer capacity (net) litres/ft3	-	18	-	108	108	100	60	91
freezer star rating	-	4	-	4	4	4	4	4
HFC/CFC free	●	●	●	●	●	●	●	●
door balconies	3	3	3	-	-	3	4	3
egg tray	-	-	-	-	-	-	-	-
ice cube tray	-	●	-	-	●	●	●	●
freezer drawers	-	-	-	3	4	4	3	4
fast freeze facility	-	-	-	●	●	●	●	Frost Free
height (mm)	820/870	820/870	871	820/870	873	1770	1770	1773
width (mm)	596	596	540	596	540	540	540	540
depth (mm)	545	545	545	545	545	545	545	544
voltage	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
connected load (w)	140	100	50	110	80	140	140	140
frequency (hz)	50	50	50	50	50	50	50	50
fuse required (amps)	13	13	13	13	13	13	13	13

* Please note due to new modifications some images may be slightly different to the products supplied.

wine coolers

PRODUCT	LCT300	LCT150
wine cooler	●	●
energy-efficiency class	-	-
fridge capacity (net) litres/ft3	58	20
noise level (dBA)	40	40
HFC free	●	●
height (mm)	870/890	870/890
width (mm)	295	150
depth (mm)	575	544
voltage	230-240	230-240
connected load (w)	85	75
frequency (hz)	50	50
fuse required (amps)	13	13

prima 2yr guarantee

All Prima appliances are covered by a free 2 year parts and labour guarantee. ***Subject to product registration.***

integrated dishwashers

less washing up means more time to enjoy yourself.

Prima dishwashers can do it all for you and there is a model for all budgets and kitchens. Our built-in dishwashers come in 60cm and 45cm widths in a variety of specifications and styles to suit any household.

prima 2 yr guarantee

integrated dishwashers

60cm integrated dishwasher

LPR601 White

features
- fully integrated
- 12 place settings
- 5 programmes
- 52dBA noise level
- 5 temperature levels
- 3 spray levels
- 16 litre consumption
- wine glass holder
- end of cycle indicator acoustic

washing performance	A
drying performance	A
energy rating	A

45cm integrated dishwasher

LPR659 White

features
- fully integrated
- 8 place settings
- 7 programmes
- 3 temperature levels
- 13 litre consumption
- 49dBA noise level
- 3 spray levels
- 30 minute rapid wash

washing performance	A
drying performance	A
energy rating	A

60cm integrated dishwasher

LPR661 White

features
- fully integrated
- 12 place settings
- 4 programmes
- 3 spray levels
- 16 litre water consumption
- 49dBA noise level
- 4 temperature levels
- 30 minute rapid wash

washing performance	A
drying performance	A
energy rating	A

prima 2 yr guarantee



LPR661/LPR601



LPR659

laundry

no more wash-day blues with our new contemporary washing and drying designs.

A machine that protects and takes good care of your clothes when washing or drying them is essential. Prima wash systems protect your garments with a wide choice of programmes to suit all laundry types.

prima 2 yr guarantee

laundry

fully integrated washing machine

LPR730 White

features
- 7kg load capacity
- 1100 spin (max)
- cold fill
- 24 hour start delay
- wash programmes include: economy wash, cottons, synthetics, delicates, handwash, quick wash, easy iron function

washing performance	A
spin performance	C
energy rating	A

fully integrated washer dryer

LPR735 White

features
- condenser
- 6kg wash capacity
- 4kg drying capacity
- 1200 spin (max)
- cold fill
- 24 hour start delay
- wash programmes include: economy wash, cottons, synthetics, delicates, woollens, rinse, quick wash

washing performance	A
spin performance	B
energy rating	B

fully integrated tumble dryer

LPR791 White

features
- 6kg load capacity
- 2 heat settings
- 140 minute timer
- built-in vent kit

energy rating	C



LPR730



LPR735



LPR791

features at a glance dishwashers & laundry

dishwashers

PRODUCT	LPR601	LPR661	LPR659
integrated	-	-	-
fully integrated	●	●	●
energy efficiency class	A	B	B
cleaning performance class	A	A	A
drying performance	A	B	B
place settings	12	12	9
temp levels	5	4	5
water consumption per cycle (litres)	16	16	13
noise level (dBA)	52	54	54
height adjustable upper basket	-	-	●
foldable bottom dish rack	-	-	-
rinse aid indicator	●	●	●
pre rinse	●	●	●
height (mm)	820	820/870	820/870
width (mm)	597	597	448
depth (mm)	555	555	550
voltage	230-240	230-240	220-240
connected load (w)	2200	2200	2200
frequency (hz)	50	50	50
fuse required (amps)	13	13	13

laundry

PRODUCT	LPR730	LPR735	LPR791
white	●	●	●
fully integrated	●	●	●
electronic display	-	-	-
start delay	-	-	-
spin speed (max)	1100	1200	-
wash load (max kg)	7	6	-
drying load (max kg)	-	4	6
condenser drying system	-	●	-
wash performance class	A	A	-
energy efficiency class	A	B	C
spin efficiency class	C	B	-
hot & cold fill	COLD	COLD	-
height (mm)	850	820	890
width (mm)	590	590	595
depth (mm)	550	550	530
voltage	220-240	220-240	220-240
connected load (w)	2200	2200	2700
frequency (hz)	50	50	50
fuse required (amps)	13	13	13

prima 2 yr guarantee

All Prima Appliances are covered by a free 2 year parts and labour guarantee. *Subject to product registration.*

frequently asked questions

1. What is the difference between a conventional oven and a circa fan oven?
   A conventional oven combines top and bottom heating to provide a traditional cooking method with the oven hotter at the top, circa fan forces air through heating elements and into the oven in 4 directions, food is cooked quickly and evenly in all parts.

2. If I buy an induction hob will I have to buy new pans?
   Not necessarily, you do need ferrous metal pans on an induction hob so that when the zone is on, the heat can transfer directly from the hob to the pan. There is an easier way to check your current pans, simply test the base with a magnet, if it sticks your pans should work.

3. How do I stop the air from coming back into the room from my cooker hood?
   You need ducting with a wall outlet box and non return valve, which will stop the air returning, the larger the ducting. The less noise there'll be and the better the rate of extraction. We recommend at least 120mm diameter ducting.

4. How can I get odours out more quickly?
   Try switching on the extractor hood a few minutes before you start cooking, this starts to circulate air in the kitchen which will help remove odours.

5. Do metal grease filters have to be changed?
   They should be removed frequently for cleaning, and can be washed in the dishwasher.

6. At what temperature should I keep the fridge compartment?
   Between 0ºC and 5ºC. Any warmer and the food will go off, any colder and fresh food can be ruined and nutrients lost.

7. Is it worth going for an energy efficient fridge freezer?
   Your cooling appliance is operating 24 hours a day. After central heating, refrigeration appliances are the biggest domestic users of energy because they're on all the time. When you're ready to replace a refrigeration appliance, it's worth looking for those rated A as they are energy efficient and relatively cheap to run.